

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| | | | |
|--|--|---|--|
| (51) International Patent Classification⁶ : A61K 49/00 // 9/72, 33/14, 31/70 | | A1 | (11) International Publication Number: WO 95/22993 (43) International Publication Date: 31 August 1995 (31.08.95) |
| (21) International Application Number: PCT/AU95/00086 | | (81) Designated States: AM, AT, AU, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, JP, KE, KG, KP, KR, KZ, LK, LR, LT, LU, LV, MD, MG, MN, MW, MX, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TT, UA, UG, US, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG). | |
| (22) International Filing Date: 23 February 1995 (23.02.95) | | Published <i>With international search report.</i> | |
| (30) Priority Data: PM 4114 25 February 1994 (25.02.94) AU | | | |
| (71) Applicant (for all designated States except US): CENTRAL SYDNEY AREA HEALTH SERVICE [AU/AU]; Queen Elizabeth 11 Building, Level 1, Missenden Road, Camperdown, NSW 2050 (AU). | | | |
| (72) Inventor; and | | | |
| (75) Inventor/Applicant (for US only): ANDERSON, Sandra, Doreen [AU/AU]; 31 Wharf Road, Birchgrove, NSW 2041 (AU). | | | |
| (74) Agent: F.B. RICE & CO.; 28A Montague Street, Balmain, NSW 2041 (AU). | | | |
| (54) Title: METHOD AND DEVICE FOR THE PROVOCATION OF AIR PASSAGE NARROWING AND/OR THE INDUCTION OF SPUTUM | | | |
| (57) Abstract <p>A method as described for testing the susceptibility of a person to asthma. The person inhales an effective amount of sodium chloride, mannitol or another substance capable of altering the osmolarity of airway surface liquid in the subject. The substance is in the form of a dispersible dry powder containing an effective proportion of particles of a respirable size. The subject is then measured to detect airway narrowing which is indicative of a propensity for asthma. The same technique of dry powder inhalation can be used to test for the susceptibility of a person to rhinitis, to induce sputum and promote mucociliary clearance.</p> | | | |